July/August 2020: Treatment plan - Natural Therapeutic Therapy Handling Cancer

Immuno Enabling Therapeutic Duo Therapy

Salvestrol

https://www.vitaminadviceshop.nl/nl/393266/salvestrol-platinum-60-capsules/?pos=394 2000 points treatment (6-18 months), 1 per day Do not overdose (2000 is the absolute max), if forgotten skip dose https://www.vitaminadviceshop.nl/nl/393267/salvestrol-shield-60-capsules/?pos=298 350 points maintenance 1 per day If forgotten skip dose

Resveratrol

https://www.weightworld.nl/resveratrol-extract.html https://www.vitaminadviceshop.nl/nl/1021475/resveratrol-30-capsules/?pos=226 200-250 mg treatment (6-18 months) 1 per day Do not overdose (500 mg is the absolute max), if forgotten skip dose Warning; patients who have cancer cells positive for either estrogen (ER) or progesterone (PR) should **not** take Resveratrol.

Preventive Metastasis Therapeutic Duo Therapy

Biochanin A https://www.vitaminadviceshop.nl/nl/393940/red-clover-flower-and-leaf-extract-60capsules/?pos=329 250 mg treatment 1 per day (12-24 months) Do not overdose (250 mg is the absolute max), if forgotten skip dose

Curcumin

https://www.vitaminadviceshop.nl/nl/602383/curcumine-slcp-120-capsules/?pos=1614 80 mg treatment 1 per day (12-24 months) Do not overdose (100 mg is the absolute max), if forgotten skip dose

References:

- Hindawi, Evidence-Based Complementary and Alternative Medicine, Volume 2018, Article ID 8324696,23 pages https://doi.org/10.1155/2018/8324696
- Journal of Orthomolecular Medicine Vol 25, No. 1, 2010; Nutrition and Cancer Further Case Studies Involving Salvesterol
- Nutritional Alternatives to Tamoxifen Oncology Nutrition, DPG
- Perspectives Regarding the Role of Biochanin A in Humans, Chen Yu, Peng Zhang, Lixin Lou and Yang Wang
- Impact of Curcumin on the Pharmacokinetics of Tamoxifen, MDPI
- Natural Products for the Management and Prevention of Breast Cancer, Sarmistha Mitra and Raju Dash

Side effects:


Salvestrol:	diarrhea (mild after day 3 for no longer than 3 days)
Resveratrol:	not known to have any, see ER/PR warning above
Biochanin A:	stomach cramps (for max 3 days) (1,2)
Curcumin:	stomach cramps (for max 3 days) (1,2)
(1): There is evidence combined use with Tamoxifen reduces the effect of Tamoxifen, do not	
mix, it is one or the other treatment not both	

(2): There have been cases where the combination with blood-thinner medication had adverse effects, if in doubt refer back to our profilers for further study

Base lines:

- 1) Functional immune system
- 2) Ability to swallow tablets/capsules

Treatment Plan - Natural Therapeutic Therapy Handling and Preventing Breast Cancer



This treatment, which is **not** medical advice, neither includes regulated pharmaceutical components, has been extrapolated by using three Software engines: © Bio-chemical profilers, © Contextual quantum analyzers and © Medical quantum analyzers produced by ECSystems.nl

Note: we do not sell any product, we do endorse points of sale because of product purity and efficacy; we provide computational power to run our analyzers.

Future development 2020-2021.

Imprinting and Editing of the Human CD4 T Cell promoting Auto Immuno Response and Auto Metastasis Inhibition.

August 2020, we are running series of Bio-chemical profilers, Contextual quantum analyzers and Medical quantum analyzers to determine best approach.